

The Coleopterist

Volume 6 • 1997

Contents

<i>Abraeus granulum</i> , new to Yorkshire.....	55
<i>Agrilus sinuatus</i> , widespread in Shropshire.....	56
new to Somerset.....	105
<i>Aleochara</i> , British species.....	1
<i>Amara praeterrima</i> , in West Cumbria.....	51
<i>Anthrenus fuscus</i> , in Perthshire.....	90
<i>Batrisodes adnexus</i> , in Leicestershire.....	102
Book notice.....	110
<i>Cantharis obscura</i> , new to Kirkcudbrightshire.....	73
<i>Cantharis paludosa</i> , in Somerset.....	56
<i>Carcinops pumilio</i> , in West Lothian.....	101
<i>Cassida denticollis</i> , in Sussex.....	52
<i>Ceutorhynchus pervicax</i> , in North Hampshire.....	71
<i>Chaetocnema picipes</i> , in Britain.....	85
Checklists and catalogues, some recent European with particular reference to <i>Circulionoidea</i>	57
<i>Chlaenius tristis</i> , thriving colony in North Wales.....	106
<i>Clambidius</i> , Bullock's Irish, revision with two species new to Ireland.....	53
Correction.....	55
<i>Cryptocephalus fulvus</i> , foodplants.....	109
<i>Cryptophagus falcozi</i> , second locality in Britain.....	74
Cumberland, new beetles.....	84
<i>Circulionoidea</i> , notes on nomenclature.....	91
<i>Diaperis boleti</i> , in Norfolk.....	108
widespread on Sandlings Heaths of East Suffolk.....	46
<i>Elateridae</i> , anomalous occasional resting habit.....	89
England and Wales, recent records of notable Coleoptera.....	70
Field meeting.....	47
<i>Furcipes rectirostris</i> , in southern Scotland.....	90
<i>Harpalus honestus</i> , discovered in Cumbria.....	76
Heathland, recent records of notable Coleoptera.....	68
<i>Hypomedon debilicornis</i> , second site in Britain.....	66
<i>Lampyris noctiluca</i> , two-headed larva.....	67
Literature notices.....	48, 80, 112
<i>Mordellistena humeralis</i> , correction to <i>M. variegata</i>	77

<i>Mycetophagus atomarius</i> , pupation site.....	105
<i>Oligeilla intermedia</i> , in Leicestershire.....	103
Orkney, additions and corrections to list of beetles.....	104
<i>Philonthus spinipes</i> , in Dorset - new to Britain.....	81
<i>Pocadius austus</i> , confirmed as a Gloucestershire species.....	99
<i>Rhynchaenus calceatus</i> , in Ireland.....	72
<i>Rosalia alpina</i> , in Hampshire.....	108
Saproxylic Quality Index, based on rarity scores with examples from Wales.....	61
Scotland, recent records.....	100
<i>Stephostethus alternans</i> , new to Britain.....	49
Swarms, English.....	109
minor Scottish.....	75
<i>Tachys walkeri</i> , a patio beetle?.....	47

Reviews

<i>Klucze do oznaczania owadów Polski</i> [Keys for the Identification of Polish Insects] <i>Coleoptera</i> , part 42. <i>Ptinidae</i> by J. Borowski.....	110
<i>Ladybirds</i> by M.E.N. Majerus.....	78

Author Index

Alexander, K.N.A.	46, 56, 73, 99
Allen, A.A.	89, 109
Allen, A.J.	81
Auckland, L.	109
Blake, S.	90
Booth, R.G.	78, 85, 91
Coldwell, J.D.	55
Cooter, J.	110
Copestake, D.	76
Denton, J.S.	68, 70, 108
Duff, A.G.	105
Edwards, M.	46
Foster, A.P.	77
Fowles, A.P.	61
Halstead, K.	108
Harrison, T.D.	66, 71, 74
Hodge, P.J.	52, 106

- Johnson, C. 53
 Levey, B. 49
 Lott, D.A. 102, 103, 105
 Luff, M.L. 76
 Morris, M.G. 57, 72, 91
 Owen, J.A. 72, 81, 85
 Read, R.W.J. 51, 55, 76, 84
 Sinclair, M. 75, 90, 100, 104
 Sullivan, C. 101
 Tyler, J. 67
 Welch, R.C. 1
 Williams, S.A. 47

Species Index

A

- Abdera*
biflexuosa 71
Abraeus
globosus 102-103
granulum 55
Acalyptus
carpini 68
Aderus
populneus 55
Adonia
variegata 68
Aeletes
atomarius 102
Agabus
chalconatus 104
labiatus 68-69
melanarius 104
melanocornis 104
paludosus 104
Agonum
sexpunctatum 68-69
Agrius
angustulus 70
laticornis 70
simuatus 56, 105
Agriotes
lineatus 89
Aleochara
albopila 9
albovillosa 6, 11
algarum 8-9, 11
bilineata 3, 10, 34
binotata 4, 10
bipunctata 11
bipustulata 3, 10, 34
brevipennis 3, 10, 35
bruneipennis 11
crassicornis 10

- crassiuscula* 1, 11
cuniculorum 11, 36
curtula 2-3, 10, 35
discipennis 11, 35-36
diversa 1, 5, 11
fucicola 9
fumata 11, 37
funebris 6, 11, 37
fungivora 11
fuscipes 10
grisea 8-9, 11, 42
inconspicua 11, 38
intricata 11, 36
kamila 11, 37
lanuginosa 11, 39
lata 3, 10, 35-36
lugubris 11
lygaea 11, 39
maculata 11, 39
moerens 11, 40, 100
moesta 1, 5, 11, 40
morion 2
mycetophaga 11
nitida 10
obscurella 8, 11, 42, 104
paucilla 4
phycophila 8-11, 42
procera 11
punctatella 8-9, 11, 42
ripicola 2, 10
ruficornis 11, 42
sanguinea 11, 41
spadicea 3, 11, 42
sparsa 5, 11, 37
stichai 5, 11, 37
succicola 11
tristis 11, 41
verna 3, 10, 34
villosa 3, 11, 41
Amara
fulva 68
praetermissa 51, 68
Amischa
cavifrons 104
Ampedus
elongantulus 69
sanguinolentus 68-69
Anotylus
rugosus 75
Anthicus
floralis 75
tobias 82
Anthobium
unicolor 102
Anthrenus
fuscus 90

- Anthribus*
nebulosus 71
Aphanisticus
pusillus 70
Aphodius
coenosus 68-69
fimetarius 109
plagiatus 71
prodromus 75
zenkeri 70
Aphthona
herbigrada 55
nigriceps 55
Apion
aciculare 59
dissimile 68
Aridius
bifasciatus 49
Atheta
cadaverina 104
- B**
- Baeckmanniulus*
dimidiatus 71
Bagous
angustus 94
cylindrus 94
luteolentus 94
robustus 94
rudis 94
tubulus 94
Batrisodes
adnexus 102
Bembidion
aeneum 104
quadripustulatum 70
Berosus
signaticollis 68-69
Biphyllus
lunatus 105
Blethisa
multipunctata 107
Brachinus
crepitans 70
Bradycealus
ruficollis 75
Brychius
elevatus 104
- C**
- Caenoscelis*
subdeplanata 49
Calyptromerus
dubius 53

<i>Colon</i>	
<i>latum</i>	100
<i>Conopalpus</i>	
<i>testaceus</i>	70
<i>Corticaria</i>	
<i>impressa</i>	104
<i>Cryptocephalus</i>	
<i>fulvus</i>	109
<i>parvulus</i>	69
<i>Cryptolestes</i>	
<i>spartii</i>	68-69
<i>Cryptophagus</i>	
<i>falcozi</i>	74
<i>Curculio</i>	
<i>rubidus</i>	68
<i>Cyphon</i>	
<i>padi</i>	104
D	
<i>Deleaster</i>	
<i>dichrous</i>	70
<i>Dendroxena</i>	
<i>quadrimaculata</i>	70
<i>Diaperis</i>	
<i>boleti</i>	46, 108
<i>Donacia</i>	
<i>bicolora</i>	70
<i>impressa</i>	100
<i>thalassina</i>	100
<i>Dorcus</i>	
<i>parallelipedus</i>	102
<i>Dorytomus</i>	
<i>affinis</i>	95
<i>edoughensis</i>	95
<i>flavipes</i>	95
<i>ictor</i>	95
<i>validirostris</i>	95
<i>Drilus</i>	
<i>flavescens</i>	70
<i>Drupenatus</i>	
<i>nasturtii</i>	70
<i>Dryophilus</i>	
<i>anobioides</i>	69
<i>Dryops</i>	
<i>striatellus</i>	68
E	
<i>Eledona</i>	
<i>agricola</i>	55
<i>Enicmus</i>	
<i>transversus</i>	102
<i>Enochrus</i>	
<i>affinis</i>	68
<i>Esolus</i>	
<i>parallelepipedus</i>	75
F	
<i>Eubria</i>	
<i>palustris</i>	70
<i>Euplectus</i>	
<i>kirbyi</i>	102
G	
<i>Geotrupes</i>	
<i>pyrenaicus</i>	69
<i>vernalis</i>	71
<i>Gronops</i>	
<i>lunatus</i>	68, 84
<i>Grypus</i>	
<i>equiseti</i>	69
<i>Gymnetron</i>	
<i>villosum</i>	70
<i>Gyrinus</i>	
<i>natator</i>	104
<i>substriatus</i>	104
H	
<i>Hadrognathus</i>	
<i>longipalpis</i>	51
<i>Halobrecta</i>	
<i>flavipes</i>	100
<i>Harpalus</i>	
<i>ardosiacus</i>	70
<i>atrocoeruleus</i>	76
<i>honestus</i>	76
<i>rufitarsis</i>	76
<i>rupicola</i>	68
<i>smaragdinus</i>	68-69
<i>Helochares</i>	
<i>punctatus</i>	68-69
<i>Helophorus</i>	
<i>brevipalpis</i>	75
<i>griseus</i>	69, 104
<i>Hydrochus</i>	
<i>angustatus</i>	68-69
<i>Hydroporus</i>	
<i>melanarius</i>	104
<i>obsoletus</i>	71
<i>pubescens</i>	75
<i>umbrosus</i>	104
<i>Hylobius</i>	
<i>abietis</i>	93
<i>piceus</i>	93
<i>Hypera</i>	
<i>adspersa</i>	93
<i>pollux</i>	93

<i>Hypnoidus</i>	
<i>riparius</i>	89
<i>Hypocaccus</i>	
<i>rugiceps</i>	71
<i>Hypomedon</i>	
<i>debilicornis</i>	66
K	
<i>Kissophagus</i>	
<i>hederae</i>	71
L	
<i>Laccobius</i>	
<i>bipunctatus</i>	105
<i>striatulus</i>	70
<i>Lampyris</i>	
<i>noctiluca</i>	67
<i>Laius</i>	
<i>zetterstedti</i>	100
<i>Leiosoma</i>	
<i>deflexum f. collare</i>	93
<i>pyrenaeum</i>	93
<i>trogloctytes</i>	93
<i>Licinus</i>	
<i>punctatulus</i>	70
<i>Limnebius</i>	
<i>papposus</i>	104
<i>Limnichus</i>	
<i>pygmaeus</i>	70
<i>Limnobaris</i>	
<i>dolorosa</i>	96
<i>t-album</i>	96
<i>t-album ssp. atriplicis</i>	96
<i>Liosomus</i>	
<i>ovatulus</i>	93
<i>Litargus</i>	
<i>connexus</i>	105
<i>Longitarsus</i>	
<i>dorsalis</i>	68
<i>tabidus</i>	68
<i>Lucanus</i>	
<i>cervus</i>	70
<i>Luperus</i>	
<i>flavipes</i>	68-69
<i>Lytharia</i>	
<i>salicariae</i>	68
M	
<i>Malthinus</i>	
<i>balteatus</i>	70
<i>Mecinus</i>	
<i>circulatus</i>	69
<i>Melandrya</i>	
<i>caraboides</i>	70, 108
P	
<i>Paromalus</i>	
<i>flavicornus</i>	102
<i>Philonthus</i>	
<i>concinnus</i>	100
<i>corvinus</i>	100
<i>laminatus</i>	75
<i>nitidus</i>	81
<i>parcus</i>	82
<i>rectangulus</i>	82

<i>spinipes</i>	81
<i>splendens</i>	104
<i>Philopedon</i>	
<i>plagiatum</i>	92
<i>plagiatus</i>	69
<i>Phloeophagus</i>	
<i>gracilis</i>	94
<i>lignarius</i>	94
<i>Phratora</i>	
<i>laticollis</i>	84
<i>Phyllobius</i>	
<i>calcaratus</i>	92
<i>glaucus</i>	92
<i>Phyllopertha</i>	
<i>horticola</i>	75
<i>Phytodecta</i>	
<i>decemnotata</i>	68
<i>Phytoecia</i>	
<i>cylindrica</i>	70
<i>Platycis</i>	
<i>minutus</i>	70
<i>Platyderus</i>	
<i>ruficollis</i>	70
<i>Platystomos</i>	
<i>albinus</i>	69
<i>Plegaderus</i>	
<i>dissectus</i>	102
<i>Pocadius</i>	
<i>adustus</i>	99
<i>ferrugineus</i>	99
<i>lanuginosus</i>	99
<i>Polydrusus</i>	
<i>sericeus</i>	92
<i>splendidus</i>	92
<i>tereticollis</i>	92
<i>undatus</i>	92
<i>Porcinolus</i>	
<i>murinus</i>	68
<i>Prionus</i>	
<i>corticarius</i>	69, 71
<i>Pseudocistela</i>	
<i>ceramboides</i>	70
<i>Pterostichus</i>	
<i>anthracinus</i>	70
<i>lepidus</i>	68-69
<i>nigrita</i>	104
<i>rhaeticus</i>	104
Q	
<i>Quedius</i>	
<i>scitus</i>	102
<i>ventralis</i>	55

R

<i>Rhynchaenus</i>	
<i>alni</i>	72
<i>avellanae</i>	96
<i>calceatus</i>	72, 82, 96
<i>fagi</i>	72
<i>rusci</i>	72
<i>signifer</i>	96
<i>testaceus</i>	72
<i>Rhynchites</i>	
<i>aequatus</i>	84
<i>cupreus</i>	68
<i>Rhyncolus</i>	
<i>ater</i>	93
<i>Rosalia</i>	
<i>alpina</i>	108
S	
<i>Scaphisoma</i>	
<i>agaricinum</i>	103
<i>boleti</i>	103
<i>Sibinia</i>	
<i>potentillae</i>	96
<i>primita</i>	96
<i>primitus</i>	69
<i>pyrrhocodactyla</i>	96
<i>Sirocalodes</i>	
<i>mixtus</i>	69, 71
<i>Sitona</i>	
<i>waterhousei</i>	69
<i>Smicronyx</i>	
<i>reichi</i>	71
<i>Stenolophus</i>	
<i>teutonus</i>	68
<i>Stenus</i>	
<i>fornicatus</i>	70
<i>oscillator</i>	71
<i>Stephostethus</i>	
<i>alternans</i>	49
<i>angusticollis</i>	49
<i>lardarius</i>	49
<i>Stereocorynes</i>	
<i>truncorum</i>	94
<i>Strangalia</i>	
<i>nigra</i>	71
<i>Strophosoma</i>	
<i>capitatum</i>	92
<i>curvipes</i>	92
<i>faber</i>	69, 92
<i>fulvicorne</i>	92
<i>melanogrammum</i>	92
<i>nebulosum</i>	92
<i>sus</i>	92

T

<i>Tachyporus</i>	
<i>hypnorum</i>	75
<i>Tachys</i>	
<i>walkerianus</i>	47
<i>Tetratoma</i>	
<i>fungorum</i>	46
<i>Thryogenes</i>	
<i>neretis</i>	100
<i>Tomoxia</i>	
<i>bucephala</i>	68, 70
<i>Trachyphloeus</i>	
<i>laticollis</i>	92
<i>rectus</i>	92
<i>Trachys</i>	
<i>scrobiculatus</i>	70
<i>Trechus</i>	
<i>quadristriatus</i>	75
<i>Trichosirocalus</i>	
<i>barnevillei</i>	52
<i>Tritoma</i>	
<i>bipustulata</i>	70
<i>Tychius</i>	
<i>flavicollis</i>	96
<i>junceus</i>	96
<i>squamulatus</i>	96
<i>Typhaea</i>	
<i>stercorea</i>	75

V

<i>Variimorda</i>	
<i>villosa</i>	70