

The Coleopterist

Volume 7 • 1998

Contents

<i>Aclypea opaca</i> , rediscovered on Arran	21
<i>Agrilus sinuatus</i> , in Nottinghamshire	76
<i>Alphitobius diaperinus</i> , associated with old trees in open countryside	21
<i>Anthrenus fuscus</i> , further record in Scotland ..	69
<i>Aphthona euphorbiae</i> , increased abundance and spread in Oxfordshire	11
feeding on pteridophyte spores	93
<i>Aromia moschata</i> , in Nottinghamshire	15
<i>Atheta hybrida</i> , in Hampshire	6
in Cambridgeshire and Caernarvonshire	96
<i>Athous campyloides</i> , in Wales	18
observations on British population	94
British List, changes published in 1996 and 1997	3
<i>Bruchidius varius</i> , more records	65
<i>Callidium violaceum</i> , status in Scotland	80
<i>Cetonia aurata</i> , second locality in North Wales	69
<i>Cicones undatus</i> , new to Essex	25
Coleoptera recording schemes, Ground Beetles Recording Scheme news	66
Conservation news	99
Correction	23
<i>Cryptocephalus exiguus</i> , history of species in Britain	7
<i>Deleaster dichrous</i> , new to Arran	15
<i>Diglossa</i> , micropterous, identification and habitat	73
<i>Ergates faber</i> , in Kent	16
Field meeting report, Lincolnshire 1996	28
<i>Gabrius piliger</i> , in Scotland	26
<i>Gastrallus immarginatus</i> , at Knole Park, West Kent	98
<i>Grammoptera ustulata</i> , in Surrey, with other scarce saproxylic Coleoptera	92
<i>Gronops inaequalis</i> , at Minsmere RSPB Reserve, Suffolk	97
<i>Gymnetron pascuorum</i> , recent Irish record	91
<i>Hadrognathus longipalpus</i> , further record from West Cumbria	67
<i>Ischnomera cinerascens</i> , new to Gloucestershire and Warwickshire	22
<i>Lagria hirta</i> , unusual abundance in north-east Essex	5

<i>Lebia cyanocephala</i> , rediscovered, in Surrey	17
Literature notices	32, 72, 104
<i>Lixus scabricollis</i> , in East Sussex	26
<i>Longitarsus parvulus</i> , increased abundance and spread in Oxfordshire	11
<i>Lucanus cervus</i> , flying by day	70
<i>Melanophthalma suturalis</i> , on ivy in Surrey ..	68
<i>Phloeosinus aubei</i> , first record of breeding in Britain	1
<i>Polydrusus pilosus</i> , in Northern Ireland	91
<i>Prionus coriarius</i> , at Knole Park, West Kent ..	98
<i>Psylliodes</i> , in the U.K.	33
<i>Rugilus geniculatus</i> , in Surrey	17
<i>Schistoglossa aubei</i> , in Roxburghshire with notes on species in Britain	77
Scotland, rare and notable Coleoptera from pitfall traps	81
Shropshire parklands, deadwood Coleoptera ..	24
<i>Sphinginus lobatus</i> , new to Hertfordshire	23
<i>Stenus subdepressus</i> , in Surrey	17
<i>Syagrius intrudens</i> , in Cornwall	20
correction	
<i>Trichiusa immigrata</i> , in Yorkshire	27
<i>Triplax russica</i> , in Norfolk	19
<i>Troglops cephalotes</i> , further Essex record	6
apparently established in Hertfordshire	27
Wales, species of interest	18

Reviews

<i>Irish Coleoptera. A revised and annotated list.</i> by R. Anderson, R.Nash & J.P. O'Connor	30
---	----

Author Index

Alexander, K.N.A.	21, 22, 24
Anderson, R.	81
Ashby, J.E.	97
Blake, S.	69
Booth, R.G.	30, 96
Bowdrey, J.P.	5, 25
Campbell, J.M.	11
Cox, M.L.	11, 33
Cuming, N. StJ.	25
Denton, J.S.	6, 17, 19, 92

Denton, M.	27
Dutton, A.	15, 76
Eyre, M.D.	81
Foster, A.P.	22
Good, J.A.	73
Hackett, D.	20, 25
Hance, D.	97
Hancock, G.	69
Hodge, P.J.	26, 65, 68
James, T.J.	23, 27
Key, R.S.	28, 99
Lewis, K.C.	16
Lott, D.A.	3, 81
Luff, M.L.	81
Mann, D.J.	18
Mendel, H.	7
Owen, J.A.	68, 77
Parsons, A.J.	93
Ramsay, A.	15, 21, 69, 80
Read, R.W.J.	67
Sinclair, M.	26, 77
Telfer, M.G.	66
Thompson, R.T.	70
Twinn, D.C.	6
Welch, R.J.W.	70
Whitehead, P.F.	94
Winter, T.	1

Species Index

A

<i>Abdera</i>	
<i>biflexuosa</i>	93
<i>quadrifasciata</i>	93
<i>Acalles</i>	
<i>ptinoides</i>	84
<i>Acidota</i>	
<i>cruentata</i>	87
<i>Aclypea</i>	
<i>opaca</i>	21
<i>Acupalpus</i>	
<i>consputus</i>	29
<i>Aderus</i>	
<i>oculatus</i>	24, 93
<i>Aegialia</i>	
<i>sabuleti</i>	87
<i>Aeletes</i>	
<i>atomarius</i>	98
<i>Agabus</i>	
<i>brunneus</i>	100
<i>Agonum</i>	
<i>albipes</i>	66
<i>ericeti</i>	82
<i>ruficornis</i>	66

<i>Agrilus</i>	
<i>laticornis</i>	92
<i>sinuatus</i>	24, 76
<i>Aleochara</i>	
<i>brevipennis</i>	87
<i>lanuginosa</i>	6
<i>ruficornis</i>	87
<i>Alphitobius</i>	
<i>diaperinus</i>	21
<i>Amara</i>	
<i>anthobia</i>	29
<i>fulva</i>	82
<i>lucida</i>	29
<i>Anaspis</i>	
<i>thoracica</i>	28
<i>Anitys</i>	
<i>rubens</i>	24, 92
<i>Anotylus</i>	
<i>mutator</i>	87
<i>Anthracus</i>	
<i>consputus</i>	66
<i>Anthrenus</i>	
<i>fuscus</i>	69
<i>Aphodius</i>	
<i>nemoralis</i>	87
<i>niger</i>	100
<i>Aphthona</i>	
<i>euphorbiae</i>	11, 93
<i>Apion</i>	
<i>modestum</i>	91
<i>Aridius</i>	
<i>nodifer</i>	25
<i>Aromia</i>	
<i>moschata</i>	15
<i>Asaphidion</i>	
<i>flavipes</i>	67
<i>pallipes</i>	82
<i>Atheta</i>	
<i>ebenina</i>	87
<i>hybrida</i>	6, 96
<i>hygrobia</i>	87
<i>melanocera</i>	78
<i>trinotata</i>	96
<i>Athous</i>	
<i>campyloides</i>	18, 94
<i>Atomaria</i>	
<i>hislopi</i>	84

B

<i>Badister</i>	
<i>dilatatus</i>	28
<i>Bembidion</i>	
<i>argenteolum</i>	99
<i>atroviolaceum</i>	66
<i>bipunctatum</i>	82

<i>clarki</i>	29
<i>fluviatile</i>	82
<i>litorale</i>	83
<i>monticola</i>	83
<i>nigricorne</i>	83
<i>obliquum</i>	29
<i>schueppeli</i>	83
<i>stomoides</i>	66, 83
<i>Biphyllus</i>	
<i>lunatus</i>	18, 92
<i>Bitoma</i>	
<i>crenata</i>	24, 93
<i>Bledius</i>	
<i>arcticus</i>	87
<i>terebrans</i>	87
<i>Brachygluta</i>	
<i>pandellei</i>	87
<i>Bruchidius</i>	
<i>varius</i>	4, 65
<i>Byctiscus</i>	
<i>betulae</i>	28
<i>Byrrhus</i>	
<i>arietinus</i>	82

C

<i>Calathus</i>	
<i>ambiguus</i>	29
<i>melanocephalus</i>	67
<i>Callidium</i>	
<i>violaceum</i>	80
<i>Carabus</i>	
<i>clatratus</i>	83
<i>intricatus</i>	99
<i>nitens</i>	83
<i>Cathormiocerus</i>	
<i>britannicus</i>	101
<i>Cercyon</i>	
<i>ustulatus</i>	86
<i>Cetonia</i>	
<i>aurata</i>	69
<i>cuprea</i>	87
<i>Ceutorhynchus</i>	
<i>punctiger</i>	85
<i>Chaetarthria</i>	
<i>seminulum</i>	86
<i>Chaetocnema</i>	
<i>concinna</i>	4
<i>laevicollis</i>	4
<i>picipes</i>	4
<i>Choleva</i>	
<i>glauca</i>	86
<i>Chrysolina</i>	
<i>americana</i>	4
<i>fastuosa</i>	18
<i>hyperici</i>	17

<i>Chrysomela</i>	
<i>tremula</i>	29
<i>Cicones</i>	
<i>undatus</i>	25
<i>Cis</i>	
<i>festivus</i>	24
<i>pygmaeus</i>	24
<i>vestitus</i>	24
<i>Clambus</i>	
<i>simsoni</i>	3
<i>Coccinella</i>	
<i>quinquepunctata</i>	84, 99
<i>Conopalpus</i>	
<i>testaceus</i>	24
<i>Cortinicara</i>	
<i>gibbosa</i>	68
<i>Cossonus</i>	
<i>linearis</i>	28
<i>Cryptocephalus</i>	
<i>coryli</i>	101
<i>exiguus</i>	7, 101
<i>labiatus</i>	7
<i>primarius</i>	101
<i>sempunctatus</i>	10, 101
<i>Cryptophagus</i>	
<i>ruficornis</i>	92
<i>Ctenicera</i>	
<i>pectinicornis</i>	29
<i>Ctesias</i>	
<i>serra</i>	18, 24
<i>Cymindis</i>	
<i>vaporariorum</i>	83

D

<i>Dacne</i>	
<i>bipustulata</i>	19
<i>Deleaster</i>	
<i>dichrous</i>	15, 88
<i>Deronectes</i>	
<i>latus</i>	85
<i>Diplota</i>	
<i>legneri</i>	75
<i>mersa</i>	73
<i>pacifica</i>	75
<i>sinuaticollis</i>	73
<i>submarina</i>	74
<i>Donacia</i>	
<i>aquatica</i>	101
<i>bicolor</i>	99
<i>Dorcatoma</i>	
<i>chrysomelina</i>	24
<i>flavicornis</i>	92
<i>Dorytomus</i>	
<i>hirtipennis</i>	85
<i>tortrix</i>	28

Dyschirius
angustatus 99

E

Enicmus
rugosus 28, 98
Ergates
faber 16
Erichsonius
signaticornis 88
Ernobius
mollis 98
Ernoporus
caucasicus 28
Eulagius
filicornis 3
Euryporus
picipes 88

F

Fleutiauxellus
maritimus 85

G

Gabrius
bishopi 88
piliger 26
Gastrallus
immarginatus 98
Gnortimus
nobilis 100
Grammoptera
ustulata 92-93
Grammostethus
marginatus 86
Graphoderus
zonatus 100
Gronops
inaequalis 97
lunatus 97
Grypus
equiseti 85
Gymnetron
pascuorum 91
Gymnusa
variegata 88

H

Hadrognathus
longipalpus 67
Harpalus
aeneus 66
affinis 66
griseus 3
rufibarbis 66
subpunctatus 66
Helophorus
arvernicus 86
Hydraena
minutissima 86
rufipes 86
Hydrochara
caraboides 100, 102
Hydrochus
nitidicollis 102
Hydroporus
ferrugineus 85
obsoletus 85
scalesianus 99
Hydrosmectina
septentrionum 88
Hydrothassa
hannoveriana 102
Hylis
olexai 98
Hypera
diversipunctata 101

I

Ilyobates
subopacus 88
Ischnomera
caerulea 22
cinerascens 22
cyanea 22, 24, 93

K

Kissophagus
hederiae 29

L

Laccophilus
ponticus 100
Lagria
hirta 5
Lathrobium
angusticolle 88

dilutum 88
Lebia
cyanoccephala 17, 99
Leiodes
pallens 4
triepkei 4
Leptura
scutellata 98
Limoniscus
violaceus 100
Liocyrtusa
minuta 86
Lissodema
quadripustulata 93
Lixus
scabricollis 26
Longitarsus
curtus 84
nigerrimus 101
parvulus 11
Lucanus
cervus 16, 70, 92, 100
Lymexylon
navale 98

M

Malthinus
frontalis 92
Malthodes
guttifer 82
Mantura
chrysanthemi 84
obtusata 84
Melanophthalma
curticollis 68
suturalis 68
transversalis 68
Melasis
buprestoides 28, 92
Meligethes
fulvipes 19
Meloe
violaceus 86
Microlestes
maurus 67
Miscodera
arctica 83
Mycetophagus
atomarius 18, 93
multipunctatus 19
quadripustulatus 19
Mycetoporus
baudueri 88
punctus 88

Myllaena
elongata 88

N

Negastrius
pulchellus 99
sabulicola 85
Neohilaria
subterranea 88
Notaris
aethiops 85

O

Oberea
oculata 101
Ochina
ptinoides 29
Ochthebius
bicolor 86
Oedemera
virescens 86
Oedostethus
quadripustulatus 29, 85
Orchestia
micans 18
undulata 18
Oreodytes
davisii 85
Otiorhynchus
scaber 85
Oxypoda
brachyptera 4
exoleta 88
islandica 88
spectabilis 89
tarda 4
Oxytelus
migrator 3

P

Panagaeus
crux-major 99
Paraphotistus
impressus 86
Pelenomus
zumpti 85
Pentarthrum
huttoni 93
Perapion
affine 28

<i>Perileptus</i>		<i>luteola</i>	35, 37, 39
<i>areolatus</i>	99, 102	<i>marcida</i>	33, 37, 40, 43, 57
<i>Philonthus</i>		<i>napi</i>	33, 37, 40, 43, 58
<i>spinipes</i>	3	<i>pallidipennis</i>	35
<i>Phloeosinus</i>		<i>picina</i>	35, 37, 39
<i>aubei</i>	1	<i>sophiae</i>	33, 37, 40, 43, 59
<i>thujae</i>	1	<i>weberi</i>	33, 37, 54
<i>Phloiotrya</i>		<i>Pterostichus</i>	
<i>vaudoueri</i>	98	<i>aethiops</i>	83
<i>Phyllobius</i>		<i>angustatus</i>	83
<i>argentatus</i>	91	<i>aterrimus</i>	99
<i>calcaratus</i>	91	<i>cristatus</i>	83
<i>roboretanus</i>	91	<i>gracilis</i>	29
<i>Phyllobrotica</i>		<i>nigrita</i>	67
<i>quadrimaculata</i>	18	<i>oblongopunctatus</i>	83
<i>Phymatodes</i>		<i>Ptinomorphus</i>	
<i>alni</i>	28	<i>imperialis</i>	29
<i>testaceus</i>	24		
<i>Phytodecta</i>		Q	
<i>decemnotata</i>	29	<i>Quedius</i>	
<i>Platydracus</i>		<i>fulvicollis</i>	89
<i>latebricola</i>	89	<i>invrae</i>	6
<i>Platynaspis</i>		<i>longicornis</i>	89
<i>luteorubra</i>	18	<i>puncticollis</i>	89
<i>Platystethus</i>			
<i>nodifrons</i>	89	R	
<i>Pogonus</i>		<i>Rugilus</i>	
<i>luridipennis</i>	29	<i>geniculatus</i>	17
<i>Polydrusus</i>		<i>Rutidosoma</i>	
<i>flavipes</i>	29	<i>globulus</i>	29
<i>pilosus</i>	91		
<i>Prionocyphon</i>		S	
<i>serricornis</i>	24	<i>Saperda</i>	
<i>Prionus</i>		<i>scalaris</i>	84
<i>coriarius</i>	98	<i>Schistoglossa</i>	
<i>Prionychus</i>		<i>aubei</i>	77
<i>ater</i>	98	<i>Scaptia</i>	
<i>Procas</i>		<i>testacea</i>	93, 98
<i>granulicollis</i>	101	<i>Simplocaria</i>	
<i>Pseudaplemonas</i>		<i>maculosa</i>	82
<i>limonii</i>	29	<i>semistriatus</i>	82
<i>Psylliodes</i>		<i>Sphindus</i>	
<i>affinis</i>	33, 36-37, 39	<i>dubius</i>	19, 98
<i>anglica</i>	37	<i>Sphinginus</i>	
<i>atenuata</i>	34	<i>lobatus</i>	23
<i>attenuata</i>	36-37, 39	<i>Stenagostus</i>	
<i>chalconera</i>	33, 37-38	<i>rhombus</i>	92
<i>chrysocephala</i>	33, 37, 40, 43, 51	<i>Stenus</i>	
<i>cucullata</i>	33, 37-38	<i>incanus</i>	89
<i>cuprea</i>	33, 37, 40, 43, 52	<i>niveus</i>	89
<i>cyanoptera</i>	37	<i>palposus</i>	99
<i>dulcamarae</i>	34, 37-38		
<i>hospes</i>	34, 37		
<i>hyoscyami</i>	34, 36-38		
<i>instabilis</i>	37		
<i>laticollis</i>	37, 40, 43, 54		
<i>luridipennis</i>	33, 37, 41, 43		

<i>subdepressus</i>	17
<i>Stephostethus</i>	
<i>alternans</i>	3
<i>Syagrius</i>	
<i>intrudens</i>	20, 70

T

<i>Tachinus</i>	
<i>rufipennis</i>	89
<i>Tachys</i>	
<i>edmondsi</i>	99
<i>parvulus</i>	18
<i>walkerianus</i>	99
<i>Tetratoma</i>	
<i>fungorum</i>	19
<i>Thalassophilus</i>	
<i>longicornis</i>	84
<i>Trachodes</i>	
<i>hispidus</i>	28
<i>Trachys</i>	
<i>minutus</i>	28-29
<i>Trechus</i>	
<i>fulvus</i>	84
<i>rivularis</i>	84
<i>rubens</i>	84
<i>Trichiusa</i>	
<i>immigrata</i>	27
<i>Triplax</i>	
<i>russica</i>	19
<i>Troglops</i>	
<i>cephalotes</i>	6, 27

X

<i>Xyloterus</i>	
<i>domesticus</i>	93